

**AMENDMENTS TO THE CLAIMS**

This listing of the claims will replace all prior versions and listings of claims in the application.

1. (Currently Amended) A method of routing a text message to a second destination associated with a called party where a first destination is unavailable comprising the steps of:

receiving a call to the first destination associated with a called party initiated by a calling party, wherein the first destination is unavailable;

based on the unavailability of the first destination, requesting a voice message from the calling party;

receiving the voice message provided by the calling party;

converting the voice message into a text message ~~based on determining an appropriate text format required by the second destination, the text format being determined by retrieving formatting information for a selected device from a database, the database including routing information for a plurality of communication devices and a selected device designation, the routing information including a list of directory numbers and formatting information for corresponding communication devices;~~

searching a database of routing information associated with a plurality of communication devices for a respective plurality of subscribers, the routing information comprising a directory number and formatting information particular to each communication device;

retrieving routing information from the database for an alternate communication device associated with the second destination of the called party;

formatting the text message in an appropriate text format required by the second destination; and

forwarding the text message to the second destination associated with the called party;  
~~wherein the second destination comprises the selected device designated in the database.~~

2. (Previously Presented) The method of Claim 1, wherein the plurality of communication devices are capable of receiving text messages.
3. (Previously Presented) The method of Claim 2, wherein the plurality of communication devices can be any one of a paging device, a mobile telephone, an electronic mail device, a facsimile machine, a modem, or a computer.
4. (Original) The method of Claim 1, further comprising the step of receiving additional information from the calling party.
5. (Original) The method of Claim 4, wherein the additional information comprises routing information of the second destination associated with the called party.
6. (Original) The method of Claim 4, wherein the additional information comprises an identification of the calling party.
7. (Original) The method of Claim 1, wherein the requesting step is performed in response to a Busy/No Answer trigger.

8. (Original) The method of Claim 1, further comprising the step of receiving routing information of the second destination from the called party.

9. (Original) The method of Claim 1, further comprising the step of disconnecting the calling party after receiving the voice message provided by the calling party.

10. (Cancelled).

11. (Previously Presented) The method of Claim 1, further comprising the step of receiving a personal identification number, wherein the personal identification number determines which one of the plurality of communication devices comprises the second destination.

12. (Currently Amended) A system for routing a text message to a second destination associated with a called party where a first destination is unavailable comprising:

a first switch for receiving a call to a first destination associated with a called party initiated by a calling party, wherein the first destination is unavailable;

a network element, coupled to the first switch, for requesting a voice message from the calling party based on the unavailability of the first destination and receiving the voice message provided by the calling party; and

a voice recognition means, coupled to the network element, for converting the voice message to a text message based on determining an appropriate text format required by the second destination, the text format being determined by retrieving formatting information for a

~~selected device from a database, the database including routing information for a plurality of communication devices and a selected device designation, the routing information including a list of directory numbers and formatting information for corresponding communication devices;~~

a database for retaining and selecting routing information for a plurality of communication devices associated with a respective plurality of subscribers, the routing information for each communication device including:

a list of directory numbers for corresponding communication devices;

formatting information for the corresponding communication devices, the formatting information comprises an appropriate text format required for each communication device selectable as the second destination and retrieved by the voice recognition means; the system further comprising

a second switch, coupled to the network element, wherein the network element forwards the appropriately formatted text message to a second destination associated with the called party via the second switch, wherein the second destination comprises an alternate communication device for the called party;~~the selected device designated in the database.~~

13. (Original) The system of Claim 12, wherein the network element comprises a service node.

14. (Previously Presented) The system of Claim 12, wherein the second destination is a communication device capable of receiving text messages.

15. (Previously Presented) The system of Claim 14, wherein the communication device can be any one of a paging device, a mobile telephone, an electronic mail device, a facsimile machine, a modem, or a computer.

16. (Original) The system of Claim 12, wherein the network element further performs the function of receiving additional information from the calling party.

17. (Original) The system of Claim 16, wherein the additional information comprises an identification of the calling party.

18. (Original) The system of Claim 16, wherein the additional information comprises routing information of the second destination associated with the called party.

19. (Previously Presented) The system of Claim 12, wherein the network element receives routing information of the second destination from the called party and stores the routing information in the database.

20. (Previously Presented) The system of Claim 12, wherein the network element disconnects the calling party after receiving the voice message provided by the calling party.

21. (Cancelled).